
Fiberglass Exterior Doors





MAHOGANY WOODGRAIN TEAK WOODGRAIN OAK WOODGRAIN SMOOTH



TABLE OF CONTENTS

Product Information

- 3 Features & Benefits
- 4 Fiberglass Door Finishes
- 5 Custom Paint Options
- 6 Jamb Options
- 8 Energy Efficiency & Ratings
- 10 Rough Opening Information
- 12 Warranty
- 13 Finishing Instructions




Direct Glazed Collection

14 Switch[™] Smart Glass Technology

Privacy Rating (PR)

Our glass collections are assigned a privacy rating based on the overall obscurity of the glass types used.



See glass collection pages for ratings.

Please see your store Associate for ordering assistance.

Customer Service: 800-375-8120 Monday–Friday 5:30am to 5pm (PST) Warranty Tech Line: 888-533-2843

Signature Glass Collections

- 16 Silverdale®
- 18 Lakewood®
- 20 Ashborne[™]
- 21 Pomona[™]
- 22 Carmel[™]
- 23 Phoenix[™]
- 24 Medina®
- 25 Sapphire[™]
- 26 Preston®
- 28 Brilliant Star™
- 29 Monroe[™]
- 30 Clarkston[™]
- 31 Tideland[™]
- 31 Denton[™]
- 32 Mission Pointe[™]
- 33 Rochester™
- 34 Star
- 35 Fleur De Lis

Wrought Iron Glass Collections

- 36 Bellante[™], Marcello[™], San Angelo[™]
- 37 Torino[™]

Designer Glass Collections

- Willow Brook[™], Hopewell[™],
 Cosmopolis[™], Bevel
- 39 Kincaid[™], Ridgway[™], Sena[™]

Obscure Glass Collections

- 40 Beauty Shot Gallery
- 41 Modern Teak Doors
- 42 Metro[™] Doors
- 44 Obscure Glass

Additional Collections

- 46 Simulated Divided Lites (SDL)
- 50 Clear Lites & Mini Blinds
- 52 Vent Lites & Pet Doors
- 53 Panel Doors
- 54 Impact Options
- 59 8'0" Height Doors

Distinctive character is brought to life through the hand-staining expertise of our craftsmen. Unique stain variations are to be expected—these are treasured elements of the real-wood look.

Pictures depicted in this brochure may have been graphically enhanced for illustration purposes.

Printer and monitor limitations prevent exact color duplication for finished products shown in this brochure.

FEATURES & BENEFITS

E

BEAUTY, FUNCTIONALITY, SECURITY, AND ENERGY EFFICIENCY



Α

C

Environmentally friendly CFC-free polyurethane foam core provides insulation



В 16" wood lock block and jamb security plate resists forced entry



Unfinished PVC jamb, full non-rot protection



D Composite adjustable threshold and door sweep limit air and

water infiltration

Molded doorlite openings minimize landfill waste, reinforce door structure

and doorlite support and

protect against moisture



Η LVL stiles with

High-definition panel embossments provide elegant curb appeal F

Unique, textured woodgrain detail in every design replicates the true look of a real wood door

G

High performance lite-frame. Resists discoloration and warping

composite stiles/rails



Oak Woodgrain-Lakewood® Patina 3/4 Oval Door in Medium finish






Brass

Ball bearing hinges reduce door sag and hinge wear

*Stainless steel ball bearing hinges: Option on outswing doors Standard on outswing Impact Collection doors



Composite anodized sill resists deterioration



Triple-pane decorative glass provides superior insulation



ENERGY STAR[®] certified models available for all 50 states

FEATHERRIVERDOORS.COM

FIBERGLASS DOOR FINISHES

TEAK WOODGRAIN



MAHOGANY WOODGRAIN

CHERRY	CHOCOLATE	CHESTNUT	PAINTED WHITE	UNFINISHED Ready to paint
			Craftsman style panel profile	Limited availability Craftsman style panel profile

COTTAGE MAHOGANY WOODGRAIN



OAK WOODGRAIN



SMOOTH







Our finishes are hand stained or painted to enhance the details of the grain, resulting in a unique and distinctive finish.

4 Printer and monitor limitations prevent exact color duplication for finished products shown in this brochure.

CUSTOM PAINT OPTIONS

Add dramatic curb appeal without the mess and the hassle of having to paint yourself. It's easy with Feather River pre-painted doors. All you have to do is choose the color(s) you want.

Bright White Light 7757	Pure White 7005	Antique White 6119	Sun Fire 1141	 Durable paint finish Two-color (interior and exterior) option available
Gray Grey 7075	Stormwind 7072	Sage Mist 6178	Spring Coral 6606	 Touch up paint included with all special orders PVC jamb width options, see page 6-7
Elder Tree 2809	Burnt Cranberry 2801	Wine Red	Rich Cinnamon 7591	S YEAR FINISH WARRANTY Feather River
Timeless Black 6258	Black Coffee 6006	Rich Soil 7510	Space Blue 6244	Vast Ocean 6783
		AVAILABLE STYLES		
TEAK Image: State of the state	MAHOGANY 6'8"	COTTAGE MAHOGANY 8" 6'8"		
		SMOOTH		
6'8"			8'0"	
Metro [™] Collection	B'0" - More options page 63	wn are an approximate representation	PVC Transoms –	pact – pages 54-58 I Lites (SDL) – pages 46-49

Note: Colors shown are an approximate representation of the actual color. Actual finished color may vary in tone/shade (darker or lighter) from what is shown in brochure.

JAMB OPTIONS

UNFINISHED WHITE WOODGRAIN PVC JAMB SYSTEM (Standard Option)

Standard option on both Woodgrain and Smooth Fiberglass

Unfinished Ready to paint

Low Maintenance - Will not rot or absorb moisture - Insect resistant

Energy Efficient Less heat transfer vs.

common frame materials

💘 Pre-painted

Available as an option with any pre-painted door. Option available for exterior and interior color choice. Jamb color will match door color chosen or choose Painted White.

Nominal Heights Available Widths: 4-9/16" 5-1/4" 6-9/16" 8-9/16"

80" and

96"

PRIMED FINGER-JOINTED WOOD JAMB (Option)

Primed white jambs are ready to paint and require regular maintenance over the life of the door.

	Primed Wh	nite
	80" Nominal Height Available Widths: 4–9/16" 5–1/4" 6–9/16" 8–9/16" 12"*	96" Nominal Height Available Widths: 4–9/16" 5–1/4" 6–9/16"
r		


Wood jamb comes standard with the Feather River Sill Key™ System. Sill Key[™] doesn't allow jamb bottom to sit on sub floor or sill where it is susceptible to water damage.



* Not available with Sill Key[™]. Single and double doors only.

TRANSOMS

Matching PVC transom frames are available in the configurations below. Directly attach transoms to the door unit. Or, install transoms in a separate rough opening. Feather River ships unattached transoms with door unit. Non-impact only, no HVHZ or WBD rating available.



Heights 12 and 14-3/4 unless otherwise noted

12 height only

➡ 14–3/4 height unfinished PVC only

Widths listed next to configuration





PRE-COLORED WOODGRAIN PVC JAMB SYSTEM (Upgrade Option)

Available option on Woodgrain Fiberglass. PVC pre-colored jamb system complements our hand stained door's overall door finish, enhancing its beautiful aesthetics. The jamb system is made of PVC which prevents rot and does not peel, fade, or warp. It is easy to maintain as it doesn't require refinishing or UV protection over time. The PVC pre-colored jamb system is a great component to the Feather River door system in achieving its maximum performance.


Note: Designed to complement the overall door finish; color will not match hand stained finishes perfectly. Note: Not available for transoms.

TEAK PRE-COLORED



Widths: 4-9/16", 5-1/4" and 6-9/16"

OAK PRE-COLORED





Widths: 4–9/16", 5–1/4" and 6–9/16" on both Woodgrain and Smooth Fiberglass



Widths: 4-9/16", 5-1/4" and 6-9/16"



WOODGRAIN TEAK FINISH

HAND STAINED

WOODGRAIN PVC JAMB SYSTEM (Upgrade Option)

This is a hand stained woodgrain PVC jamb option that offers full non-rot protection to best complement our hand stained door finishes. The hand stain method brings out the elegant woodgrain detail and truly enhances the overall beauty of the entire door system. The stain is protected with a UV polyurethane top coat and will require periodic maintenance similar to the door system.



Widths: 4-9/16", 5-1/4" and 6-9/16"

WOODGRAIN OAK FINISHES



WOODGRAIN MAHOGANY FINISHES



Widths: 4-9/16", 5-1/4" and 6-9/16"

NOTE: Double door setups for all pre-stained Woodgrain Doors – Astragal will not be stained but will be "Painted" to complement the stain finish.

Note: A close up of the door system-jamb on the left and door panel on the right-shown in the images above.

ENERGY EFFICIENCY & RATINGS

FUNCTIONALITY

All Feather River Fiberglass Doors are energy efficient and designed to stand up to all seasons, so your home stays warm during the winter months and cool during the summer. Imagine the savings from a fiberglass door which is up to five times more energy efficient than a traditional wood door.

Many of our doors are ENERGY STAR certified. The chart beginning below and continuing on page 9 shows a listing of the U-Factor and SHGC (Solar Heat Gain Coefficient) for all of our Exterior Door Products. Certified units must hit the U-Factor, Solar Heat Gain Coefficient in their climate zone, and air leakage listed in the chart to the right. Visit energystar.gov for your area's climate zone detail.

energy	ASK ABOUT ENERGY STAR
--------	-----------------------------

Feather River offers ENERGY STAR certified door models in all 50 states.

		Version 7.0 Effective: 10/23/					
Glazing Level	Climate Zone	U-Factor ¹	SHGC ²				
Opaque	All Zones	≤ 0.17	No Rating				
≤ ½-Lite	All Zones	≤ 0.23	≤ 0.23				
	Northern	≤ 0.26	≤ 0.40				
> ½-Lite	North-Central	≤ 0.20	≤ 0.40				
> /2-Lite	South-Central	< 0.29	< 0.22				
	Southern	≤ 0.28	≤ 0.23				

Air Leakage for Swinging Doors ≤ 0.5 cfm/ft²

¹ Btu/h·ft².°F ² Solar Heat Gain Coefficient

U-Factor: The heat transfer per time per area and per degree of temperature difference. The U-factor multiplied by the interior-exterior temperature difference and by the projected fenestration product area yields the total heat transfer through the fenestration product due to conduction, convection, and long wave infrared radiation. Expressed here in units of Btu/h·ft^{2.o}F.

Solar Heat Gain Coefficient (SHGC): The ratio of the solar heat gain entering the space through the fenestration product to the incident solar radiation. Expressed as a value between 0 and 1.

Air Leakage (AL): Measures the rate at which air passes through joints in the window. AL is measured in cubic feet of air passing through one square foot of window area per minute. The lower the AL value, the less air leakage. Most industry standards and building codes require an AL of 0.3 cf·m/ft².

ENERGY RATINGS INFORMATION

In some years the government has offered a federal tax credit for energy-efficient products that meet or exceed ENERGY STAR performance levels for doors. Please visit irs.gov and energystar.gov for additional information regarding tax credit availability or visit featherriverdoors.com for additional information regarding energy efficiency. **PVC jamb ratings shown in chart.**

NFRC Size Designation	Feather River Door Description
1/4 Lite ≤ 410 sq in	Fanlite, Craftsman, Craftsman Rectangle, Craftsman Arch, Center Arch, 3/4 Oval (Smooth, Smooth Impact—30°), Metro (3-4-5-6 Lite Straight, 3-Lite Zag, 3-Lite Mix, 1-3-4 Lite Square/Diamond, 1-Lite Left/Middle/Right, 3-Lite Marrow), Teak (3-Lite Small, 3-Lite Large)
1/2 Lite ≤ 900 sq in	Half Lite, 3/4 Oval (Mahogany, Oak, Smooth Impact—36"), Center Arch (8/0), Cottage Craftsman Arch, Full Oval, Metro (3-Lite Craftsman, 4-5-6 Lite Narrow, 2-Lite Twin), Teak (Lighthouse, 2-Lite, 1-Lite, 4-Lite)
3/4 Lite ≤ 1100 sq in	3/4 Lite, Half Lite (8/0), Metro (4-Lite Craftsman)
Full Lite > 1100 sq in	3/4 Lite (8/0), Full Lite, Full Lite RT
Opaque/No Glass	All Panel Doors

NFRC Size Designation	Feather River Sidelite Description
1/4 Lite ≤ 65 sq in	N/A
$1/2$ Lite ≤ 281 sq in	Craftsman, Half Lite, Center Arch (Oak), Metro (4-5-6 Lite)
3/4 Lite ≤ 391 sq in	Center Arch (Mahogany), 3/4 Lite (Oak, Smooth, Mahogany), Full Lite (Oak, Smooth, Mahogany—12'/10''), Full Lite (Smooth Impact—10'')
Full Lite > 391 sq in	Full Lite (Mahogany—14"), Full Lite (Teak—14"/12"), Full Lite (Smooth Impact—14"/12")
Opaque/No Glass	N/A

ENERGY RATINGS CHART

Will not qualify under ENERGY STAR guidelines.

Will not qualify in the Northern and North-Central climate zones under ENERGY STAR guidelines.

Note: Transoms do not qualify for the tax credit. Any tax credit, if available, would be based on "qualified" Door with Sidelites or Double Door configuration. Note: Ratings shown here are with PVC Jamb. Wood jamb ratings can be found in the Performance Data section of our Resources on featherriverdoors.com.

Teak Woodgrain Style Fiberglass Entry Doors & Sidelites

ТҮРЕ	SWING	GLAZING	1/4 Lite ≤	410 sq in	$1/2$ Lite \leq 900 sq in		$3/4$ Lite ≤ 1100 sq in		Full Lite > 1100 sq in	
		ULAZINU	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative/Obscure (5mm) Glass	0.22	0.10	0.26	0.18	N/A	N/A	N/A	N/A
Fiberglass	Inswing &	Triple Pane—Obscure (5mm) Glass with Grid	N/A	N/A	0.26	0.14	N/A	N/A	N/A	N/A
Door	Outswing	Dual Pane—Low E-270 (Clear)	0.21	0.08	0.25	0.15	N/A	N/A	N/A	N/A
		Dual Pane—Low E-270 (Internal Grille)	N/A	N/A	0.25	0.15	N/A	N/A	N/A	N/A

TYPE	SWING	GLAZING	1/4 Lite :	≤ 65 sq in	1/2 Lite ≤	281 sq in	3/4 Lite ≤	381 sq in	Full Lite	e > 381 sq in
Fiberglass	Inswing &	Triple Pane—Decorative/Obscure (5mm) Glass	N/A	N/A	N/A	N/A	N/A	N/A	0.29	0.17
Sidelite	Outswing	Dual Pane—Low E-270 (Clear)	N/A	N/A	N/A	N/A	N/A	N/A	0.28	0.14
		A	ir Leakage ≤ 0.3	3 cfm/ft ²						

Please visit our Resources page on featherriverdoors.com for the latest energy ratings information in the Performance Data section.

ewine		1/4 Lite ≤	410 sq in	$1/2$ Lite \leq	5 900 sq in	3/4 Lite ≤	1100 sq in	Full Lite >	1100 sq in
SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
	Triple Pane—Decorative/Obscure (5mm) Glass	0.20	0.09	0.23	0.15	0.26	0.20	N/A	N/A
	Triple Pane—Low E Decorative/Obscure (5mm) Glass	0.19	0.07	0.22	0.12	0.23	0.16	N/A	N/A
	Dual Pane—Craftsman 6-Lite (Mahogany/Smooth)	0.23	0.10	N/A	N/A	N/A	N/A	N/A	N/A
Inswing & Outswing	Dual Pane—Low E-270 (Clear/Craftsman)	0.20	0.08	N/A	N/A	0.25	0.20	N/A	N/A
	Dual Pane-Low E Wrought Iron	0.19	0.07	0.23	0.13	0.25	0.17	N/A	N/A
	Triple Pane—Laminated Impact Glass	0.20	0.08	0.24	0.15	0.26	0.20	N/A	N/A
	Opaque/No Glass (Flush/Embossed)	U-Factor = 0.1	5 SHGC =	0.01					
SWING	GLAZING	1/4 Lite :	≤ 65 sq in	1/2 Lite ≤	281 sq in	3/4 Lite ≤	391 sq in	Full Lite >	391 sq ii
	Triple Pane—Decorative/Obscure (5mm) Glass	N/A	N/A	0.21	0.09	0.23	0.12	0.26	0.16
	Dual Pane-Low E Wrought Iron	N/A	N/A	0.21	0.08	0.23	0.10	0.25	0.13
	Dual Pane—Low E-270 (Clear/Internal Grille/SDL)	N/A	N/A	0.21	0.08	N/A	N/A	0.25	0.14
Outswing	Triple Pane—Laminated Impact Glass	N/A	N/A	0.22	0.09	0.23	0.11	0.26	0.15
	Dual Pane-Low E (Mini Blind UP)	N/A	N/A	N/A	N/A	0.28	0.11	N/A	N/A
		Inswing & Outswing & Outswing & Unswing & Outswing & Inswing & Outswing & Inswing & Inswing & Inswing & Outswing & Inswing & Outswing & Inswing & Outswing & Ou	SWING GLAZING Triple Pane—Decorative/Obscure (5mm) Glass 0.20 Triple Pane—Low E Decorative/Obscure (5mm) Glass 0.19 Dual Pane—Craftsman 6-Lite (Mahogany/Smooth) 0.23 Dual Pane—Craftsman 6-Lite (Mahogany/Smooth) 0.23 Dual Pane—Low E-270 (Clear/Craftsman) 0.20 Dual Pane—Low E Wrought Iron 0.19 Triple Pane—Laminated Impact Glass 0.20 Opaque/No Glass (Flush/Embossed) U-Factor = 0.1 SWING GLAZING 1/4 Lite : Inswing & Outswing Triple Pane—Decorative/Obscure (5mm) Glass N/A Dual Pane—Low E Vrought Iron N/A Dual Pane—Low E Vrought Iron N/A Triple Pane—Low E Vrought Iron N/A Dual Pane—Low E Vrought Iron N/A	SWING GLAZING U-factor SH6C Triple Pane—Decorative/Obscure (5mm) Glass 0.20 0.09 Triple Pane—Low E Decorative/Obscure (5mm) Glass 0.19 0.07 Dual Pane—Low E Decorative/Obscure (5mm) Glass 0.19 0.07 Dual Pane—Low E-270 (Clear/Craftsman) 0.20 0.08 Opaque/No Glass (Flush/Embossed) U-Factor = 0.15 SHGC = SWING GLAZING 1/4 Lite < 65 sq in	SWING GLAZING Triple Pane—Decorative/Obscure (5mm) Glass 0.20 0.09 0.23 Triple Pane—Low E Decorative/Obscure (5mm) Glass 0.19 0.07 0.22 Dual Pane—Low E Decorative/Obscure (5mm) Glass 0.19 0.07 0.22 Dual Pane—Low E Decorative/Obscure (5mm) Glass 0.19 0.07 0.22 Dual Pane—Low E Decorative/Obscure (5mm) Glass 0.10 N/A Dual Pane—Low E-270 (Clear/Crattsman) 0.20 0.08 N/A Dual Pane—Low E Wrought Iron 0.19 0.07 0.23 Triple Pane—Laminated Impact Glass 0.20 0.08 0.24 Opaque/No Glass (Flush/Embossed) U-Factor = 0.15 SHGC = 0.01 SWING GLAZING 1/4 Lite < 65 sq in	SWING GLAZING U-factor SHGC U-factor SHGC Triple Pane—Decorative/Obscure (5mm) Glass 0.20 0.09 0.23 0.15 Triple Pane—Low E Decorative/Obscure (5mm) Glass 0.19 0.07 0.22 0.12 Dual Pane—Low E Decorative/Obscure (5mm) Glass 0.19 0.07 0.22 0.12 Dual Pane—Low E-270 (Clear/Craftsman) 0.20 0.08 N/A N/A Dual Pane—Low E-270 (Clear/Craftsman) 0.20 0.08 N/A N/A Dual Pane—Low E-270 (Clear/Craftsman) 0.20 0.08 0.13 Inswing & 0.15	SWING GLAZING U-factor SH6C U-factor Dal Dal Dan Dactor D.23 D.15 D.23 D.12 D.23 D.13 D.25 D.25 D.21 D.26 D.25 D.26 D.26	SWING GLAZING U-factor SHGC U.factor SHGC U.factor SHGC U.factor SHGC U.factor SU10 U.factor U.factor <thu.factor< th=""> U.factor <t< td=""><td>SWING GLAZING U-factor SH6C U.factor SH6C U.factor SH6C U.factor SH6C U.factor U.factor</td></t<></thu.factor<>	SWING GLAZING U-factor SH6C U.factor SH6C U.factor SH6C U.factor SH6C U.factor U.factor

Mahogany Woodgrain Style Fiberglass Entry Doors & Sidelites

Oak Woodgrain and Smooth Style Fiberglass Entry Doors & Sidelites

ТҮРЕ	SWING	GLAZING	1/4 Lite ≤	410 sq in	1/2 Lite ≤	900 sq in	3/4 Lite ≤	1100 sq in	Full Lite >	1100 sq in
1175	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative/Obscure (5mm) Glass	0.19	0.09	0.21	0.15	0.22	0.20	0.24	0.27
		Triple Pane—Low E Decorative/Obscure (5mm) Glass	0.18	0.07	0.20	0.12	0.21	0.16	0.23	0.21
		Dual Pane—Low E Wrought Iron	0.19	0.07	0.22	0.13	0.24	0.17	0.27	0.23
Fiberglass Door	Inswing & Outswing	Dual Pane—Low E-270 (Clear/Internal Grille)	0.19	0.08	0.22	0.15	0.24	0.20	0.27	0.26
Door	Outswing	Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.26	0.12	0.29	0.16	0.32	0.21
		Dual Pane—Low E (Vent Lite)	N/A	N/A	0.22	0.08	N/A	N/A	0.26	0.15
		Opaque/No Glass (Flush/Embossed)	U-Factor = 0.1	6 SHGC =	0.01				•	
TYPE	SWING	GLAZING	1/4 Lite :	≤ 65 sq in	1/2 Lite ≤	281 sq in	3/4 Lite ≤	≤ 381 sq in	Full Lite >	> 381 sq in
		Triple Pane—Decorative/Obscure (5mm) Glass	0.17	0.02	0.19	0.08	0.19	0.11	0.20	0.14
Fiberglass	Inswing &	Dual Pane—Low E Wrought Iron	0.18	0.02	0.21	0.07	0.23	0.09	0.25	0.12
Sidelite	Outswing	Dual Pane—Low E-270 (Clear/Internal Grille)	0.18	0.02	0.21	0.08	0.23	0.11	0.25	0.14
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.25	0.05	0.28	0.06	0.32	0.09
	Air Leakane < 0.3 cfm/ft ²									

Air Leakage ≤ 0.3 cfm/ft²

Flush-glazed Teak Woodgrain, Oak Woodgrain, and Smooth Style Fiberglass Entry Doors & Sidelites

TYDE	emine	GLAZING	1/4 Lite ≤	410 sq in	1 / 2 Lite ≤	900 sq in	$3/4$ Lite ≤ 1100 sq in		Full Lite > 1100 sq in		
TYPE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	
		Triple Pane—Laminated Impact Glass	0.21	0.08	0.24	0.15	0.27	0.20	0.30	0.26	
		Triple Pane—Decorative/Obscure (5mm) Glass	0.21	0.09	0.24	0.15	0.26	0.20	0.30	0.27	
		Triple Pane—Low E Decorative/Obscure (5mm) Glass	0.20	0.07	0.22	0.12	0.24	0.16	0.27	0.21	
		Triple Pane—Laminated Low E Impact Glass	0.20	0.07	0.23	0.12	0.25	0.16	0.28	0.21	
Fiberglass Door	Inswing & Outswing	Dual Pane—Laminated Low E Impact Glass	0.20	0.08	0.23	0.15	0.25	0.19	0.27	0.25	
Door	Outswing	Dual Pane—Low E Wrought Iron	0.20	0.07	0.23	0.13	0.25	0.17	0.28	0.23	
		Dual Pane—Low E-270 (Clear/Internal Grille)	0.19	0.05	0.22	0.10	0.23	0.13	0.26	0.16	
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	N/A	N/A	N/A	N/A	0.34	0.22	
		Dual Pane—Laminated Low E Impact (Mini Blind UP)	N/A	N/A	N/A	N/A	N/A	N/A	0.32	0.21	
TYPE	SWING	GLAZING	1/4 Lite s	≤ 65 sq in	1/2 Lite ≤	281 sq in	3/4 Lite ≤	≤ 391 sq in	Full Lite >	391 sq in	
		Triple Pane—Laminated Impact Glass	N/A	N/A	0.24	0.15	0.26	0.19	0.30	0.26	
		Triple Pane—Decorative/Obscure (5mm) Glass	N/A	N/A	0.23	0.15	0.26	0.20	0.29	0.27	
		Triple Pane—Laminated Low E Impact Glass	N/A	N/A	0.22	0.12	0.24	0.16	0.27	0.21	
		Dual Pane—Laminated Impact Glass	N/A	N/A	0.26	0.18	0.29	0.24	0.33 📕 📕	0.32	
Fiberglass Sidelite	Inswing & Outswing	Dual Pane—Laminated Low E Impact Glass	N/A	N/A	0.22	0.14	0.24	0.19	0.27	0.25	
Sidenie	Outswing	Dual Pane-Low E Wrought Iron	N/A	N/A	0.23	0.13	0.25	0.17	0.28	0.23	
		Dual Pane—Low E-270 (Clear/Internal Grille)	N/A	N/A	0.21	0.10	0.23	0.12	0.25	0.16	
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	N/A	N/A	N/A	N/A	0.33	0.22	
		Dual Pane—Laminated Low E Impact (Mini Blind UP)	N/A	N/A	N/A	N/A	N/A	N/A	0.31	0.21	
	Air Leakage ≤ 0.3 cfm/ft ²										


Direct Glazed Smooth Style Fiberglass Entry Doors & Sidelites


TYPE	SWING	GLAZING	$1/4$ Lite ≤ 410 sq in		$1/2$ Lite \leq 900 sq in		$3/4$ Lite ≤ 1100 sq in		Full Lite > 1100 sq in	
			U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
Fiberglass	Inswing &	Dual Pane—Low E Laminated (9mm) PDLC	0.19	0.08	0.21	0.15	0.23	0.19	0.25	0.25
Door O	Outswing	Dual Pane—Low E (Clear/Internal Grille)	0.20	0.08	0.23	0.15	0.25	0.20	0.28	0.26
TYPE	SWING	GLAZING	1/4 Lite	≤ 65 sq in	1/2 Lite ≤	281 sq in	3/4 Lite ≤	381 sq in	Full Lite >	381 sq in
Fiberglass Sidelite	Inswing & Outswing	Dual Pane—Low E Laminated (9mm) PDLC	N/A	N/A	N/A	N/A	N/A	N/A	0.25	0.25
		Dual Pane—Low E (Clear/Internal Grille)	0.20	0.08	0.23	0.14	0.25	0.19	0.27	0.26

Does not meet 2023 Florida Energy Code Criteria for SHGC.

ROUGH OPENING INFORMATION

ROUGH OPENING INFORMATION






Notice: Listed at right are some of the most common door configurations, with rough opening dimensions. If you find that your rough opening does not match the standard sizes, we have options that help to accommodate almost any rough opening size. Ask your The Home Depot Associate for more information regarding cut-down and sidelite spreader options.

Doors with Sidelite(s): Rough Opening sizes shown at right are for a standard continuous head and sill setup with primed wood jamb or unfinished PVC jamb. Note: Some PVC Jamb options may add 1/2" per sidelite to the width shown in the chart at right (this will be a continuous head and sill unit, but at a box construction size).

Box Construction Size Option: We also offer our doors in box construction size depending on jamb option. This size adds 1/2" to the measurements shown per sidelite.

Box Construction with Spread Mull Option: Allows for a 1/2" to 3" spread between door and sidelite. Built

PRE-HUNG SETUP CONSTRUCTION EXAMPLES




as standard box construction and only available on certain jamb options. Double Door with Two Sidelites: Only available in Box Construction as standard and no Spread Mullion.

Outswing Units: Come standard with a Bumper-Style Sill, which requires that you subtract 1–1/8" from the Prehung Unit and Rough Opening height. Also add 1/2" to Brickmold Opening for width.

Wheelchair Accessible: Subtract 7/8" from any of the heights shown.


Threshold: Inswing Units – Threshold height is 1–3/8", which allows for approximately 1" opening clearance. If a spacer is needed under sill to allow for proper opening clearance, please adjust rough opening accordingly.

Transom: To calculate heights for combined doors and transoms, add the transom height to the Chart height.



ROUGH OPENING CHART

NOMINAL DOOR WIDTH	NOMINAL DOOR HEIGHT	PREHUNG UNIT SIZE	ROUGH OPENING	BRICKMOLD OPENING	
14"	6/8	15–1/2" x 81–5/8"	16–1/4" x 82–1/8"	18" x 82–7/8"	
12"	6/8	13–1/2" x 81–5/8"	14–1/4" x 82–1/8"	16" x 82–7/8"	
10"	6/8	11–5/8" x 81–5/8"	12–3/8" x 82–1/8"	14–1/8" x 82–7/8"	
14"	7/0	15–1/2" x 85–5/8"	16–1/4" x 86–1/8"	18" x 86–7/8"	
14"	8/0	15–1/2" x 97–5/8"	16–1/4" x 98–1/8"	18" x 98–7/8"	
12"	8/0	13–1/2" x 97–5/8"	14–1/4" x 98–1/8"	16" x 98–7/8"	
36"	6/8	37–1/2" x 81–5/8"	38–1/4" x 82–1/8"	40" x 82–7/8"	
34"	6/8	35–1/2" x 81–5/8"	36–1/4" x 82–1/8"	38" x 82–7/8"	
32"	6/8	33–1/2" x 81–5/8"	34–1/4" x 82–1/8"	36" x 82–7/8"	
30"	6/8	31–1/2" x 81–5/8"	32–1/4" x 82–1/8"	34" x 82–7/8"	
36"	7/0	37–1/2" x 85–5/8"	38–1/4" x 86–1/8"	40" x 86–7/8"	
36"	8/0	37–1/2" x 97–5/8"	38–1/4" x 98–1/8"	40" x 98–7/8"	
12"	8/0	43–1/2" x 97–5/8"	44–1/4" x 98–1/8"	46" x 98–7/8"	
36"–14"SL	6/8	52–1/2" x 81–5/8"	53–1/4" x 82–1/8"	55" x 82–7/8"	
36"–12"SL	6/8	50–1/2" x 81–5/8"	51–1/4" x 82–1/8"	53" x 82–7/8"	
36"-10"SL	6/8	48–5/8" x 81–5/8"	49–3/8" x 82–1/8"	51–1/8" x 82–7/8"	
32"-14"SL	6/8	48–1/2" x 81–5/8"	49–1/4" x 82–1/8"	51" x 82–7/8"	
32"–12"SL	6/8	46–1/2" x 81–5/8"	47–1/4" x 82–1/8"	49" x 82–7/8"	
36"–14"SL	7/0	52–1/2" x 85–5/8"	53–1/4" x 86–1/8"	55" x 86–7/8"	
36"-14"SL	8/0	52–1/2" x 97–5/8"	53–1/4" x 98–1/8"	55" x 98–7/8"	
36"–12"SL	8/0	50–1/2" x 97–5/8"	51–1/4" x 98–1/8"	53" x 98–7/8"	
12"–14"SL	8/0	58–1/2" x 97–5/8"	59–1/4" x 98–1/8"	61" x 98–7/8"	
36"–14"SL	6/8	67–1/2" x 81–5/8"	68–1/4" x 82–1/8"	70" x 82–7/8"	
36"-12"SL	6/8	63–1/2" x 81–5/8"	64–1/4" x 82–1/8"	66" x 82–7/8"	
36"–10"SL	6/8	59–3/4" x 81–5/8"	60–1/2" x 82–1/8"	62–1/4" x 82–7/8"	
32"-14"SL	6/8	63–1/2" x 81–5/8"	64–1/4" x 82–1/8"	66" x 82–7/8"	
32"–12"SL	6/8	59–1/2" x 81–5/8"	60–1/4" x 82–1/8"	62" x 82–7/8"	
36"–14"SL	7/0	67–1/2" x 85–5/8"	68–1/4" x 86–1/8"	70" x 86–7/8"	
36"–14"SL	8/0	67–1/2" x 97–5/8"	68–1/4" x 98–1/8"	70" x 98–7/8"	
36"–12"SL	8/0	63–1/2" x 97–5/8"	64–1/4" x 98–1/8"	66" x 98–7/8"	
12"–14"SL	8/0	73–1/2" x 97–5/8"	74–1/4" x 98–1/8"	76" x 98–7/8"	
72" (36–36)	6/8	74" x 81–5/8"	74–3/4" x 82–1/8"	76–1/2" x 82–7/8"	
68" (34–34)	6/8	70" x 81–5/8"	70–3/4" x 82–1/8"	72–1/2" x 82–7/8"	
64" (32–32)	6/8	66" x 81–5/8"	66–3/4" x 82–1/8"	68–1/2" x 82–7/8"	
60" (30–30)	6/8	62" x 81–5/8"	62-3/4" x 82-1/8"	64–1/2" x 82–7/8"	
72" (36–36)	7/0	74" x 85–5/8"	74–3/4" x 86–1/8"	76–1/2" x 86–7/8"	
72" (36–36)	8/0	74" x 97–5/8"	74–3/4" x 98–1/8"	76–1/2" x 98–7/8"	
34" (42–42)	8/0	86" x 97–5/8"	86–3/4" x 98–1/8"	88–1/2" x 98–7/8"	
38" (12–32–32–12)	6/8	93" x 81–5/8"	93–3/4" x 82–1/8"	95–1/2" x 82–7/8"	
96" (12–36–36–12)	6/8	101" x 81–5/8"	101–3/4" x 82–1/8"	103–1/2" x 82–7/8"	
92" (14-32-32-14)	6/8	97" x 81–5/8"	97–3/4" x 82–1/8"	99–1/2" x 82–7/8"	
100" (14–36–36–14)	6/8	105" x 81–5/8"	105–3/4" x 82–1/8"	107–1/2" x 82–7/8"	
100" (14–36–36–14)	7/0	105" x 85–5/8"	105–3/4" x 86–1/8"	107–1/2" x 86–7/8"	
100" (14–36–36–14)	8/0	105" x 97–5/8"	105–3/4" x 98–1/8"	107–1/2" x 98–7/8"	
100" (12–36–36–12)	8/0	101" x 97–5/8"	101–3/4" x 98–1/8"	103–1/2" x 98–7/8"	







DESIGNED TO MEET IMPACT REQUIREMENTS FOR "HVHZ" AREAS IN FLORIDA Rough openings for HVHZ (Impact) are smaller than Rough Opening Chart sizes. Maximum space between Actual Unit Size and Rough Opening is 1/2" in width and 1/4" in height.

LIMITED LIFETIME WARRANTY

Feather River Doors fiberglass entry and patio door systems by Trinity Glass International, Inc. (hereinafter Trinity) are warranted to be free from defects in material and workmanship that would render the door unfit for its intended use under normal conditions, subject to the conditions and restrictions contained herein. This warranty extends only to the original purchaser/first end user (hereinafter Customer) from the date of purchase and extending to the following periods:

Limited Lifetime Warranty on all door slabs and sidelite slabs

- Limited Lifetime Warranty on PVC jambs, brickmoulds and mullions
- Limited Lifetime Warranty on doorlite (glass) frames

10 Years Limited Warranty on insulated glass against seal failure

5 Years Limited Warranty on factory finish (paint and stain)

2 Years Limited Warranty on all wood products (i.e. jambs, brickmoulds, mullion) and all other components not specified in this warranty

The following are exceptions that may void the warranty or are not otherwise considered to be defects in material or workmanship:

- 1. Damage caused by failure to comply with the installation, finishing and maintenance instructions and recommendations by Trinity.
- 2. Damage caused by improper storage and handling, abuse, abnormal and unreasonable use by the Customer or other parties beyond the control of Trinity, to include but not limited to damages caused during shipping, handling, installation, replacement of genuine Trinity parts or components, unauthorized repairs, or any act(s) performed to the products not in compliance with Trinity's instructions and recommendations.
- 3. Damage from harsh natural conditions, including but not limited to substantial exposure to sun, salt spray, lightning, windstorms, earthquakes, acts of God, and other severe environmental conditions including but not limited to harsh chemicals or solvents, such as acidic brick washes or stucco leach.
- 4. Broken or shattered glass, normal wear and tear of components, improper maintenance, improper cleaning, improper caulking, and damage caused by pets or wild animals.
- 5. Bowing not exceeding 1/4 inch in the plane of the door. This shall be determined by placing a straight edge on the bowed surface of the door and measuring the point of maximum distance between the bottom of the straight edge and the surface of the door, accounting for panels and glazing recesses.
- 6. For unfinished products, failure to properly finish all door/sidelite/transom surfaces and/or jamb materials within 2 weeks of installation or 6 months from the date of purchase, whichever is sooner.
- 7. Natural variations in color or texture of any wood grain surface shall not be considered a defect. When exposed to direct sunlight over long periods of time, discoloration may occur, but this will be within the accepted tolerances contained within 5 Delta E units, calculated in accordance with ASTM E 308, ASTM E 805 and ASTM D 2244, effective on the date the product is manufactured. Non-uniform fading and/or color changes are natural occurrences if the exterior surfaces of the products are not equally exposed to the sun and other environmental conditions.
- 8. Natural conditions created during the manufacturing process used in making decorative glass panels such as bubbles, streaks and swirls in decorative glass shall not be considered a defect. Irregularity in glass that is not visible from farther than six feet shall not be considered defects.
- 9. Any damage caused by improper installation of a storm door or the installation of a non-ventilating, full glass storm door shall void this warranty.
- 10. This warranty applies only to doors installed in owner occupied residential dwellings within the U.S., during the Customer's ownership, and is non-transferable.
- 11. Repaired or replaced components are warranted on the same terms and only for the remainder of the original warranty period. Color and grain match are not guaranteed. Trinity reserves the right to discontinue or change products or components. If a product or component is not available, Trinity may select and provide a like product or component of equal quality and price.

Warranty Claim Procedures:

In the event of a defect covered under this warranty, Customer shall comply with the following claim procedures:

- 1. Written warranty claim shall be presented to Trinity.
- 2. Customer's written claim must include the following information:
 - Nature or adequate description of defect(s).
 - Identification of product including size, design, type, and product number (if available).
 - Date of purchase.
 - Proof of purchase.
- Upon Trinity's request, Customer must permit Trinity (or its representative) to inspect the claimed defective door system and provide photographs of the defective product. Trinity shall have 30 days from receipt of Customer's written claim to exercise this option to inspect.

Upon receipt of a valid claim, Trinity shall have the option to either repair the product or provide a replacement product of like kind and design. Further, in lieu of repair or replacement, Trinity reserves the right to refund the Customer's purchase price (not replacement price). THIS SHALL BE THE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY, AND IN NO EVENT SHALL TRINITY BE RESPONSIBLE FOR LABOR, SHIPPING, FINISHING EXPENSES, REMOVAL OF PRODUCT, INSTALLATION OF REPLACEMENT PRODUCT, OR OTHER INCIDENTAL AND/OR CONSEQUENTIAL CHARGES, COSTS, EXPENSES OR CLAIMS INCURRED BY CUSTOMER.

If Trinity elects to refund the purchase price, this warranty will be prorated from the date of purchase in the following manner: 0-5 years, 100% of the original purchase price; 6-10 years, prorated at 75% of original purchase price; and 11 years and up, 50% of original purchase price.

Trinity makes no other warranty, including a warranty of merchantability or fitness for a particular purpose, with respect to the product or replacement except to the extent provided herein. Invalidation of any one or more of the provisions of this limited warranty shall in no way affect any of the provisions in this limited warranty which remain in full force and effect. Any and all legal actions for any and every breach of this warranty shall be instituted and maintained in any court of competent jurisdiction in the County of King, State of Washington. Trinity reserves the right to modify the terms and conditions of this warranty without prior notice.

Please direct all questions about this warranty to: info@featherriverdoor.com or 888-533-2843.

Trinity Glass International, Inc. | 33615 1st Way South | Federal Way, WA 98003

Revised 7/30/2018

FINISHING INSTRUCTIONS

FEATHER RIVER HAND STAINED DOORS AND JAMBS:

Feather River hand stained doors and jambs already come with a polyurethane UV top coat which protects the door during the 5 year finish warranty. It does not require additional topcoats at time of purchase but you will need to apply additional topcoats after 2-5 years as mentioned in the Care and Maintenance section below.

PAINTED FINISH:


UNFINISHED FIBERGLASS DOORS AND PVC JAMBS

You can use any high quality oil based or latex based exterior paint. Priming the door is not required, but we do recommend a light sanding with 600 grit sandpaper for better paint adhesion. Before applying a paint, wipe the door and doorlite frame with a damp cloth to remove any dirt, oil, or debris. Allow the surface to fully dry before painting. For a pleasing look, we recommend painting with strokes in the directions shown. Apply at least two coats of paint, following the paint manufacturer's recommended instructions along with drying time between coats.

PVC UNFINISHED JAMBS: You can use any high quality oil based or latex based exterior paint. Priming the jamb is not required, but before applying a paint, wipe the jamb with a damp cloth to remove any dirt, oil, or debris. Allow the surface to fully dry before painting. Apply at least two coats of paint, following the paint manufacturer's recommended instructions along with drying time between coats. We also recommend following the Feather River installation instructions and properly caulk around the brickmold, jamb, and threshold area.

CARE AND MAINTENANCE

We recommend on any hand stained product that you reapply a UV topcoat over the existing topcoat every 2-5 years to protect your beautiful entryway from harsh weathering. We do not recommend stripping the finish. In locations with severe weather exposure, more frequent maintenance may be required. Caulk as well as repaint your doors as soon as deterioration can be detected.






Switch™ Smart Glass Technology is more than a glass panel—it's a fully integrated system. Its direct glazed lite frame offers a sleek, modern look without external framing. It also includes a PVC jamb system that enhances durability and offers superior insulation against the elements. And the door's paintable finish allows homeowners to easily match it with their home's existing color palette, providing both functional and aesthetic flexibility.







Ball bearing hinges

Durable



Limited Lifetime Warranty

SEE

HOW IT WORKS


security

Energy

efficient

Reinforced


Beyond its physical design, **Switch™** connects with your smart home. Compatible with voice systems like Alexa and Google Home, you can control it hands-free or through the Hubspace™ app. You can schedule opacity changes based on time or adjust it remotely, making the door a dynamic part of your home's smart system.



Accessories included:

- Circuit box
- Charging stand
- Batteries (2)
- USB-C cords (2)







Full Lite



3/4 Lite





Craftsman

Your privacy. Your control. Instantly.

Specifications

- 36" width / 6'8" height / Inswing only
- Smooth unfinished ready to paint
- Zinc threshold & hinges

Additional Options

• Clear Low-E transoms

Visit **featherriverdoors.com/switch** for additional information on Rough Opening, Energy Efficiency, and Warranty details.





 \ast

Control using Bluetooth if Wi-Fi is unavailable. The Wi-Fi CERTIFIED™ Logo is a registered trademark of Wi-Fi Alliance[®]. The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by The Home Depot is under license. Other trademarks and trade names are those of their respective owners.

Amazon, Alexa and all related logos are trademarks of Amazon.com or its affiliates. Google and Google Home are trademarks of Google LLC.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

powered by HUBSPACE™ SMART HOME PLATFORM










Styles & Finishes



SILVERDALE®

Privacy Rating 7 of 10

Brass - B | Patina - P | Zinc - Z

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- 7'0" height option available as 36" width door in Unfinished Oak ▲
- Unfinished option also available: Ready to stain or paint
- IMPACT options available, see pages 54-58

X 34" Door Width Availability

Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size

MAHOGANY WOODGRAIN













14 B P Z

14

Center Arch

OAK WOODGRAIN





Full Lite RT





36 P Z










36

32 Z

Craftsman Arch

14

12 B P Z





Center Arch

ѕмоотн 👻




10-36-10 12-36-12

14-32-14 14-36-14



14-32-14 14-36-14

12-36-12










Styles & Finishes



LAKEWOOD[®]

Privacy Rating 6 of 10

Brass - B | Patina - P | Zinc - Z

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak (Patina and Zinc only)
- Unfinished option also available: Ready to stain or paint
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability

Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Glass designs may vary slightly due to door shape and size

MAHOGANY WOODGRAIN



36

32 P Z


Ŕ

Center Arch

OAK WOODGRAIN










36 P Z

3/4 Lite

14 12 P Z









36 32 P Z

36

34× B P Z

Ż

3/4 Oval

36

B P Z


×

Half Lite


34 X







14



14 12 P Z



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

36

36

32 P Z

Fanlite

34 × 32 30 P Z


ASHBORNE[™]

Privacy Rating 5 of 10

Brass - B | Patina - P | Zinc - Z

Styles & Finishes





8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or paint •
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



MAHOGANY WOODGRAIN



OAK WOODGRAIN

Full Lite

3/4 Oval



36

В

Ρ


34 X





Center Arch

SMOOTH 👻

36 32 Ρ Full Lite







36

32

Р

14

Half Lite




Glass designs may vary slightly due to door shape and size

36 32 Ρ

Center Arch





Half Lite



14



MAHOGANY WOODGRAIN





Center Arch

OAK WOODGRAIN




12

Full Lite



3/4 Oval



36 34 X Ρ Ζ Center Arch

10 PZ Full Lite Center Arch

14

12

14


Ρ

SMOOTH 😪


36

34 32 P Z

Center Arch







POMONA[™]

Privacy Rating 7 of 10 Patina – P | Zinc – Z



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only




Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.


CARMEL™

Privacy Rating 5 of 10

) Patina

Styles & Finishes





See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability Mahogany doors available in Chestnut finish only Oak door available in Medium and Walnut finishes only

Height 14-3/4

36

34

14

12

10

\$

MAHOGANY WOODGRAIN



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Half Lite Craftsman Full Lite Glass designs may vary slightly due to door shape and size



- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- X 34" Door Width Availability Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.




See page 5

36

34 <mark>x</mark>

TEAK WOODGRAIN



OAK WOODGRAIN



3/4 Lite











36

34

32



Craftsman Arch

Fanlite

36

34



14

12

10

Full Lite



36

34 X

36


32

30

×

34 <mark>x</mark>






3/4 Lite Center Arch Craftsman 36 36

32





PHOENIX[™]

Patina

OAK

Ash

Light#

Medium

Walnut

Unfinished

Privacy Rating 8 of 10

Styles & Finishes

MAHOGANY/

COTTAGE

Cocoa

Cherry

Chocolate

Chestnut

Honey*

Painted White*

36


Painted White

TEAK

Cottage Craftsman

*Cottage Mahogany only #Limited availability

SMOOTH



MAHOGANY WOODGRAIN

Craftsman Rectangle

Craftsman Arch

36

34

MEDINA®

Privacy Rating 7 of 10

Brass - B | Zinc - Z

Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see page 66

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



MAHOGANY WOODGRAIN



OAK WOODGRAIN

36

В

Ζ

Ŕ


34 x



36

Ζ

34 X



Center Arch

SMOOTH 👻



36

32

7

36

34

32

30

Ζ

▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak

- Unfinished option also available: Ready to stain or paint 0
- X 34" Door Width Availability

Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



14

12


10

В 7

Full Lite



3/4 Oval





12



10 BZ

Full Lite

14

12

Half Lite



Fanlite

14


12 Z

14 12 Z

Half Lite

3/4 Lite

Glass designs may vary slightly due to door shape and size



OAK WOODGRAIN







Half Lite





Fanlite

14

12



Full Lite



ѕмоотн 🕱

36

32



Center Arch

36

34 32

36

32

Half Lite



Full Lite

SAPPHIRE[™]

Privacy Rating 7 of 10

Patina

Styles & Finishes ΟΑΚ SMOOTH Unfinished Ash Light# Medium Walnut #Limited availability

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- X Available in Medium and Walnut Oak finishes only




Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Center Arch



Styles & Finishes



PRESTON[®]

Privacy Rating 7 of 10

Patina – P | Zinc – Z

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.


- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- IMPACT options available, see pages 54-58

X 34" Door Width Availability


Teak door available in Cocoa finish only Mahogany door available in Chestnut finish only Oak door available in Medium and Walnut finishes only



TEAK WOODGRAIN



MAHOGANY WOODGRAIN






14


12 10

Ρ

Ζ

OAK WOODGRAIN





36

36



Craftsman

Half Lite

36

Rectangular




Craftsman






14

12 P Z




ѕмоотн 🕱






Rectangular









TRANSOMS

Patina and Zinc

14-32-14 14-36-14 10-36-10* 36-36 12-36-12 *12" Transom only

Height 12 & 14-3/4

Height 12 & 14-3/4

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



Full Lite

30 P Z

× 36 P Z

14 12 10

Ρ Ζ

Е

COTTAGE MAHOGANY

36

P Z

BRILLIANT **STAR**[™]

Privacy Rating 6 of 10 Patina - P | Zinc - Z Styles & Finishes TEAK ΟΑΚ Cocoa Ash Painted White Light# Medium MAHOGANY/ Walnut COTTAGE Cherry SMOOTH Chocolate Unfinished Chestnut Honey* *Cottage Mahogany only Painted White* #Limited availability



TEAK WOODGRAIN



MAHOGANY WOODGRAIN 36

3/4 Oval

Center Arch

Full Lite

14

12

10

Ρ

Ζ

OAK WOODGRAIN

34 <mark>×</mark>

32

Ρ

Ζ

36

34 X

Ρ

Ζ

×

14

12 P Z

Center Arch

3/4 Oval

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.


Ζ

12

10 Ρ

Full Lite

COTTAGE MAHOGANY





Craftsman

36

Ρ

z

34 <mark>x</mark>

ѕмоотн 🔦






14 12 10 Ρ ż





Full Lite







10 Ρ Z

Craftsman

Center Arch

14 12



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- Unfinished option also available: Ready to paint (Teak) and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.




Glass designs may vary slightly due to door shape and size



MAHOGANY WOODGRAIN







14

12

10 7

36



14

12 Z

Full Lite

14

12

10 Ζ

▲

14

12

10

Z

Full Lite

36

32 Z

COTTAGE MAHOGANY





OAK WOODGRAIN






SMOOTH 🕱










MONROE[™]

Privacy Rating 6 of 10

Patina – P | Zinc – Z



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- IMPACT options available, see pages 54-58
- X Available in Chestnut Mahogany finish only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size

Craftsman

Craftsman Rectangle


Full Lite

CLARKSTON™

Privacy Rating 8 of 10			Zinc				
Styles &	Finishes						
TEAK			ΟΑΚ				
	Cocoa			Ash			
	Painted White			Light [#]			
			-OCM -	Medium			
MAHOGANY/ COTTAGE				Walnut			
	Cherry						
D. S.	Chocolate		SMOO	тн			
	Chestnut			Unfinished			
	Honey*		*O-# M-b				
	Painted White*		*Cottage Mahe #Limited availa	• • •			



TEAK WOODGRAIN



MAHOGANY WOODGRAIN



36 12 10 ⋞ • Cottage Craftsman Full Lite

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available ۲
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



14

12 10

14

12


10

OAK WOODGRAIN

Full Lite

SMOOTH 🔦











TIDELAND[™]










14

12 10




12


DENTON[™]




Ρ 10 7 Ρ Ζ Full Lite

36







36

34

14

12


10

Ρ z



Styles & Finishes MAHOGANY/ COTTAGE Cherry

Privacy Rating 8 of 10



All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- Unfinished option also available: Ready to paint (Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- IMPACT options available, see pages 54-58
- X Available in Chestnut Mahogany finish only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size



Patina – P | Zinc – Z

OAK

DENTONTM

MISSION **POINTE**TM

Privacy Rating 8 of 10



All door heights shown 6'8" | Widths shown next to door

Zinc

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



OAK WOODGRAIN





SMOOTH 🔦







3/4 Oval

36

32






36

34

32






- Unfinished option also available: Ready to stain or paint
- X Available in Medium and Walnut Oak finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.





Center Arch

Full Lite






36





Craftsman Rectangle

Full Lite



ѕмоотн 🕱

Center Arch

36

34 32

OAK WOODGRAIN







Craftsman Rectangle






Fanlite



Half Lite





36

34 32

30

36

34 32



ROCHESTER™

Privacy Rat	ting 7 of 10	Patina			
Styles &	Finishes				
ΟΑΚ		ѕмоотн			
an Co	Ash	Unfinished			
	Light#				
-orac	Medium				
	Walnut	#Limited availability			

All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- X Available in Medium and Walnut Oak finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.


Glass designs may vary slightly due to door shape and size

STAR

Privacy Rating 7 of 10

Patina

Styles & Finishes





All door heights shown 6'8" | Widths shown next to door


8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.




TRANSOMS



- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available ۲
- X 34" Door Width Availability Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak door available in Medium and Walnut finishes only

TEAK WOODGRAIN





MAHOGANY WOODGRAIN



36



3/4 Oval

36

36

32



36



14

14


12

10

E

Full Lite

36



36



Arch

14

12

10




OAK WOODGRAIN



SMOOTH 🕱

36

32



Center Arch

36

34

32











14

1 12


3/4 Lite

14

12



14



Fanlite

36

34

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Half Lite

3/4 Oval

36

34

32

30

Glass designs may vary slightly due to door shape and size

Half Lite


Full Lite



- 7'0" height option available as 14" sidelite in ▲ Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only

TEAK WOODGRAIN



MAHOGANY WOODGRAIN





3/4 Oval

36

34 <mark>x</mark>

32

OAK WOODGRAIN



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



36

34 X

X

Craftsman

14

12

Center Arch

FLEUR DE LIS

Privacy Rating 7 of 10

Patina





Center Arch

SMOOTH %

Cottage Craftsman



Full Lite


3/4 Lite

Center Arch

衮

12

10



14

12

WROUGHT IRON LOW-E

Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- X 34" Door Width Availability
 - Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



Privacy Rating 8 of 10

Wrought Iron



MAHOGANY WOODGRAIN







Privacy Rating 8 of 10

Wrought Iron



MAHOGANY WOODGRAIN



Hammered sidelite shown

12 10

14

12

10

3/4 Lite

SAN ANGELO™

Privacy Rating 8 of 10

Wrought Iron




MAHOGANY WOODGRAIN








ѕмоотн 🕱





TORINO[™]

Privacy Rating 8 of 10

Wrought Iron



MAHOGANY WOODGRAIN









Center Arch

14

OAK WOODGRAIN








9





ѕмоотн 🕱





Center Arch





Full Lite

DESIGNER





WILLOW BROOK[™] PR 7 of 10 | Z

MAHOGANY WOODGRAIN

12 10 3/4 Lite Full Lite

Cord sidelite shown



MAHOGANY





BEVEL PR1 of 10 | B P Z

MAHOGANY








3/4 Oval

SMOOTH 🕱 & OAK WOODGRAIN 36 14



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available •
- X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



32

Full Lite






COSMOPOLIS[™] PR 5 of 10 | B


36


32











Cottage Arch

MAHOGANY









Cottage Craftsman

14

12 10










SENA[™] PR 8 of 10 | P





14

12

14 12 10




36





Hammered sidelite shown

KINCAID[™] PR 8 of 10 | P



14 12 10



OBSCURE BEAUTY SHOTS





Cross Reed 3-Lite Craftsman Middle Metro[™] Door | Smooth Style | Painted Burnt Cranberry

Privacy 3/4 Lite Door with 4-Lite Colonial SDLs | Privacy 3/4 Lite Sidelites with 2-Lite Horizontal SDLs | Smooth Style | Painted Vast Ocean



6 Panel Door | Hammered Glass Full Lite Sidelites | Oak Style | Stained Medium



Sandstone[™] 3-Lite Small Hinge Modern Door | Sandstone[™] Full Lite Sidelites | Teak Style | Stained Cocoa



Modern 3-Lite Large Shown: Reeded



Full Lite Shown: Privacy



Modern 3-Lite Large Shown: Hammered



14

12

MODERN TEAK

Styles &	Finishe	es		
TEAK				
	Cocoa		Painted White	

OBSCURE* & CLEAR GLASS

REEDED

PR 7 of 10

CORD

PR 8 of 10

Privacy Rating - PR

SANDSTONE™ PR 8 of 10

PR = Privacy Rating



Shown: Cord



Modern 3-Lite Small Middle Shown: Privacy



Modern 3-Lite Small Latch Shown: Hammered



Shown: Sandstone"

14 12



All door heights shown 6'8" | Widths shown next to door

Glass Collection Details booklet available on our website in the Resources section.



Modern 3-Lite Small Hinge Shown: Sandstone"



Modern 3-Lite Small Middle Shown: Cord



Full Lite


Shown: Hammered

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

METRO[™]

OBSCURE* & CLEAR GLASS

Privacy Rating - PR



3-Lite Craftsman Middle Shown: Rain Fall[™] in painted Timeless Black



4-Lite Narrow Middle

Shown: Cord

3-Lite Narrow Middle

Shown: Hammered in

painted Burnt Cranberry

1-Lite Left

Shown: Cord

**Decorative Glass Options: Preston[®] Patina & Zinc, Phoenix[™] Patina, Sena[™] Patina, Monroe[™] Zinc, Mission Pointe[™] Zinc and Rochester[™] Patina.


Middle


2-Lite Twin

Shown: San Angelo"

Full Lite

Shown: Cord






Above doors available with Sandstone[™], Cross Reed, and Privacy glass options:

OBSCURE

Privacy Rating - PR

Styles & Finishes





TEAK WOODGRAIN - LIGHTHOUSE™ Shown: Privacy



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak) and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- ✗ SDL options available, see pages 46-49
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability Teak doors available in Cocoa finish only Mahogany doors available in Chestnut finish only





COTTAGE MAHOGANY

Craftsman

Shown: Privacy

36

14

12 10





36

MAHOGANY EXTERNAL **GRILLE CRAFTSMAN** Shown: Privacy

36 34 X

MAHOGANY WOODGRAIN COTTAGE MAHOGANY



3-Lite



14


MAHOGANY WOODGRAIN X Shown: Privacy

OAK WOODGRAIN Shown: Privacy



Full Lite

SMOOTH 🕱 Shown: Sandstone™






36 32








SMOOTH FLUSH GLAZE 👻 🗶 Shown: Sandstone














RECTANGULAR TRANSOMS



Height 12 & 14-3/4


72

12 height only

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Flush Glaze Glass Frame

SIMULATED DIVIDED LITES (SDL)




3-Lite


3-Lite

5-Lite

5-Lite

SMOOTH FLUSH GLAZE 💘








36

2-Lite










6-Lite Colonial



9-Lite

3/4 LITE



14 12 2-Lite

6-Lite


CRAFTSMAN Colonial and Vertical Grille Options: 1-1/8" 2-1/4" (shown) I 3-Lite Vertical 2-Lite


36 32

34 30

Vertical

3/4 LITE Horizontal Grille Options: 2-1/4" 3-1/2" (shown) 4-Lite 3-Lite








14

12

10








HALF LITE Colonial Grille Options: 1–1/8" (shown) 2–1/4"




47

SIMULATED DIVIDED LITES (SDL)


MAHOGANY WOODGRAIN





Vertical

Colonial and Vertical



48


6-Lite Colonial

Colonial

36 34 ×

8'0" HEIGHT TEAK WOODGRAIN 👻






8'0" HEIGHT TEAK WOODGRAIN 🔌



8'0" HEIGHT MAHOGANY WOODGRAIN







8'0" HEIGHT TEAK 🙀 & MAHOGANY WOODGRAIN



SDL BAR WIDTHS AVAILABILITY KEY:					1 = 1-1 2 = 2-1		= 3—1/2" = 5—5/8"	A	= All Four	IMPACT options available, see page 54					-					
SMOOTH FLUSH GLAZE 🔍						TEAK WOODGRAIN 🞕 MAHOGANY WOODGRAIN														
								8/0							•*			8/C		
2-Lite Vertical				1,2			1,2		1,2					1,2			1,2			
3-Lite Vertical				1,2			1,2		1,2					1,2			1,2			
2-Lite Horizontal		2,3			А	1,2,3 1,2	A	Ą		А	2,3	А	1,2,3		А	1,2		А	2,3	Α
3-Lite Horizontal		2,3			А	1,2,3 1,2	A	Ą		А	2,3	А	1,2,3		А			А	2,3	Α
4-Lite Horizontal	2,3,5	2,3			А	2,3	A	A 2,3,5	5	А	2,3	А	2,3		А			А	2,3	Α
5-Lite Horizontal	2,3,5				А		A	A 2,3,5	5	А		А			Α			А		Α
6-Lite Horizontal								2,3,5	5	А										Α
4-Lite Colonial	1,2	1,2	1,2	1,2			1,2		1,2		1,2			1,2			1,2		1,2	
6-Lite Colonial	1,2	1,2	1,2	1,2			1,2	1,2	1,2		1,2			1,2			1,2		1,2	
8-Lite Colonial	1,2							1,2												
9-Lite Colonial	1,2	1,2	1,2					1,2			1,2								1,2	
10-Lite Colonial	1,2							1,2												
12-Lite Colonial								1,2												
15-Lite Colonial	1,2							1,2												
18-Lite Colonial								2												

CLEAR LITES

Styles & Finishes TEAK ΟΑΚ Cocoa Ash Painted White Light# Medium MAHOGANY/ Walnut COTTAGE Cherry SMOOTH Chocolate Unfinished Chestnut Honev* *Cottage Mahogany only Painted White* #Limited availability



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- SDL options available, see pages 46-49
- IMPACT options available, see pages 54-58

X 34" Door Width Availability Teak doors available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

MAHOGANY CRAFTSMAN LOW-E



COTTAGE MAHOGANY 12 10 ≷


1-Lite Full Lite

MAHOGANY WOODGRAIN 36 34) 12 34 X 32 30 ✎ × •

3-Lite

6-Lite


Grille Detail




Note: Bronze spacer and shadow bars will come standard on all doors with the 3-Lite or 6-Lite Grille profile along with the 2-Lite Sidelite.

2-Lite

CLEAR GLASS LOW-E



INTERNAL GRILLE (GBG) LOW-E



VENT LITES PET DOORS

Styles & Finishes

SMOOTH

Unfinished

All door heights shown 6'8" | Widths shown next to door

*8'0" height option available in 36" width only, see page 63

Pet Doors Available in 36", 34", 32", 30" door widths.

Half Lite or Twin Lite glass designs and widths available depend on glass shown in the brochure.

AIR-SEAL PET DOOR FEATURES:

- Maximum energy efficiency
- Spring-loaded locking slide for one-handed use
- Low maintenance and durability

ORIGINAL PET DOOR FEATURES:

- Minimum energy efficiency
- Flexible vinyl flap with patented edges that won't warp from use or extreme temperatures
- Floating bottom threshold for perfect seal every time
- Lock-out slide to keep your Ideal Pet out of mischief when unsupervised

VENT LITES LOW-E

SMOOTH



PET DOORS

36

34

32

30

PET DOOR

FLAP SIZE

6-5/8" x 11-1/4"

10-1/4" x 15-3/4"

7" x 11-1/4"

10-1/2" x 15"

15" x 20"

SMOOTH

Half Lite shown with

Sandstone[™] glass

TYPE

Air-Seal

Medium

Air-Seal

Large Original

Medium

Original

Large Original

Extra

Large



36 34 32

30

Twin Half Lite shown with Preston[®] glass

RECOMMENDED

PET WEIGHT

13 to 35 lbs.

36 to 90 lbs.

13 to 35 lbs.

36 to 90 lbs.

91 to 120 lbs.



Locking Latch



Window Handle For Easy Operation



Ergonomic Vent Handles



AIR-SEAL



(Outside)



LOCATION[†]

4"

8"

4"

8"

8"

ORIGINAL



(Outside)

Pet Doors carry a 1-Year Manufacturer Warranty from Ideal Pet Products. For more detailed information visit www.idealpetproducts.com.

Feather River will not be responsible for warranties associated with the pet door product.

† Approximate location of install from bottom of door slab to pet door bottom



MAHOGANY WOODGRAIN







1 Panel Plank **O**

OAK WOODGRAIN








Craftsman Panel

Pair your panel door with select sidelites



Shown with Preston® glass

ѕмоотн





Craftsman Panel



SMOOTH

6 Panel

36

32

30

20-MINUTE FIRE RATED DOORS

Unfinished Only

MAHOGANY WOODGRAIN OAK WOODGRAIN






NOTE: Our Fire Door Embossment is a more traditional design and is different from our Premium Oak Woodgrain and Smooth Door Styles.

PANEL DOORS

Styles & Finishes



All door heights shown 6'8" | Widths shown next to door 8'0" height options available, see pages 59-63 See page 4 for door finish and panel profile availability Pair your panel door with select sidelites to better suit your style

1 AND 2 PANEL PLANK OPTIONAL DECORATIVE ACCENTS

Oil Rubbed Bronze



Not available with our Fire Rated 2 Panel Plank Door

- ▲ 7'0" height option available as 36" width door in Unfinished Oak
- IMPACT options available, see pages 54-58
- X 32" width 6 Panel Oak Woodgrain available in Medium and Walnut only

Ω Mahogany Availability

6 Panel is available in Cherry, Chocolate and Chestnut only 1 Panel Plank is available in Cherry and Chocolate only

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



NOTE: Doors only available in Single Prehung.

IMPACT



DESIGNED TO MEET IMPACT REQUIREMENTS FOR "HVHZ" AREAS IN FLORIDA

Fiberglass Door Panels

Won't Dent, Rust, Rot, or Crack

Stainless Steel Ball Bearing Hinge

 Helps Reduce Door Sag, Hinge Wear, and Corrosion

Triple-Pane Decorative Glass with Safety Laminated Interior

Energy Efficient and Impact Resistant

High-Performance, Dual-Fastening Snap-Fit Lite Frame


Premium DP and Impact Performance

High Performance Door and Frame System


- Integrated Door, Frame, and Glass for Superior Performance
- Reinforced Fiberglass Door Skin
- Dual-Fastening Snap-Fit Frame Design
- Safety Laminated Glass Interior / Safety Tempered Exterior - Interior: 1/8" x .090PVB x 1/8"

PVC Jamb System with Composite Hi-Dam Bumper Sill

Helps prevent jamb rot and water damage*





*Maximum protection is achieved only when the door system is installed and caulked properly.







Lighthouse[™] 1-Lite







Full Lite



Triple Pane


				6/8 Height			8/0 Height						
	Door Type	Zone	Swing	Single	Single w/ Sidelite(s)	Double	Single	Single w/ Sidelite(s)	Double				
	Н	HVHZ	Outswing	FL# 20867.2	FL# 20867.2	FL# 20867.2	FL# 37184.5	FL# 37184.5	FL# 37184.6				
	Impact	DP Rating	+/- 60	+/- 55	+/- 55	+/- 65		+/- 45					
Panel / Opaque	WBDR Impact	Inswing / Outswing	FL# 37185.3	FL# 37185.3	FL# 37185.4	FL# 25575.13	FL# 25575.13	FL# 25575.14					
		DP Rating	+/- 65	+/- 50	+/- 50	+/- 50/45		+/- 45					
		HVHZ	Outswing	FL# 20867.1	FL# 20867.1	FL# 20867.1	FL# 37184.3	FL# 37184.3	FL# 37184.4				
		Impact	DP Rating	+/- 60	+/- 55	+/- 55	+/- 50	+/- 50	+/- 45				
Glazed	WBDR	Inswing / Outswing	FL# 37185.1	FL# 37185.1	FL# 37185.2	FL# 25575.16	FL# 25575.16	FL# 25575.17					
	Impact	DP Rating	+/- 55	+/- 50	+/- 50	+/- 40/45	+/- 40/45	+/- 40/45					

FLORIDA BUILDING CODE: TESTING INFORMATION

For most up to date Testing and DP Rating information for Feather River product please visit the following: www.featherriverdoor.com/ Go to Resources/ Exterior Door Performance Data Does not meet impact requirements

www.floridabuilding.org/ Go to Product Approval/ Find a Product/ Search Under Trinity Glass International www.tdi.texas.gov/ Look at Hinged Doors—Fiberglass/ Search Under Trinity Glass International

DP Rating information listed is based on lowest rating, WBDR is for Inswing. Door and Sidelite(s) is for Continuous Head & Sill.



WBD: This program may have other door finishes and panel door availability as testing progresses since it uses our regular non-impact slabs with impact rated glass/frame designs shown above.

IMPACT – 6'8" HEIGHT

PR = Privacy Rating

Patina – P | Zinc – Z

Dentil shelf option available

All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

12

10

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size

3/4 Oval

36

Ζ

MAHOGANY WOODGRAIN





14





14

12

10

Ζ

ASHBORNE[™] PR 5

10

Full Lite

DENTON[™] PR 8







Center Arch*

Full Lite


PRESTON® PR 7








Cottage Craftsman Full Lite Craftsman



MONROE[™] PR 6 36 Ζ Craftsman






PR 9 PRIVACY CORD PR 8 SANDSTONE[™] PR 8 CLEAR LOW-E PR 1


Simulated Divided Lite (SDL) options available on pages 46-49.

14

P

SMOOTH







14


12

P

Triple Pane








POMONA®

3/4 Oval

SMOOTH









3/4 Lite

Full Lite



- Raise/Lower function from
- dual operator • Laminated impact glass • Features 3/8" slats vs.
 - Features 3/8" slats vs.

1/2" slats for modern look

PANEL Pair your panel door with select sidelites to better suit your style

36

32† 30†

MAHOGANY WOODGRAIN



Pair with: Any Impact Full Lite Mahogany Sidelite

SMOOTH



6 Panel Pair with: Any Impact Half Lite or Full Lite Smooth Sidelite

Triple Pane

IMPACT – 8'0" HEIGHT

PR = Privacy Rating

Patina – P | Zinc – Z

All door heights shown 8'0" | Widths shown next to door

See page 4 for door finish and panel profile availability

Dentil shelf option available

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.


Glass designs may vary slightly due to door shape and size

Styles & Finishes – HVHZ



WBD Options also available

PRESTON® PR7




Lighthouse[™] 1-Lite

CLARKSTON[™] PR 8 **TEAK WOODGRAIN**



Lighthouse[™] 1-Lite

FAIRVIEW[™] PR 8



OBSCURE[#] & CLEAR



PRIVACY	PR 9
CORD	PR 8
SANDSTONE™	PR 8
CLEAR LOW-E	PR 1

PANEL

MAHOGANY WOODGRAIN



SMOOTH



Other 8'0" Height WBD Panel Options Available

M	AH	0	GA	NY	

2 Panel Plank (Painted White) OAK 6-Panel (42" & 36") 3-Panel

C-Arch

58

6 Panel


36

8'0" HEIGHT



Brass - B | Patina - P | Zinc - Z

Styles & Finishes



All doors are available in 36" width

All sidelites are available in 14" width

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

Pair select sidelites with panel doors to better suit your style, see page 62

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

- Also available in 12" width, Smooth only
- □ Also available in 12" width
- Dentil shelf option available

Select transoms available, see 6'8" glass collection pages for availability



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.





SILVERDALE® PR7







Center Arch

OAK WOODGRAIN

Ζ



3/4 Oval



Z



3/4 Lite

SMOOTH 🔍 & OAK WOODGRAIN

Ζ

В

Ρ

Ζ

PHOENIX[™] PR 8





SMOOTH 👻 & OAK



SENA[™] PR 8 TEAK WOODGRAIN

Half Lite





MONROE[™] PR 6

MAHOGANY WOODGRAIN



SMOOTH 🔍 & OAK



Half Lite

FLEUR DE LIS PR7 TEAK WOODGRAIN





Half Lite

CLARKSTON[™] ASHBORNE[™] PR 5 8'0" HEIGHT SMOOTH 🔍 & OAK WOODGRAIN SMOOTH 🔍 & OAK WOODGRAIN TEAK WOODGRAIN Privacy Rating - PR Patina - P | Zinc - Z Wrought Iron – W Styles & Finishes Ŷ, TEAK MAHOGANY Cocoa Cherry 3/4 Lite 6 Panel Half Lite Lighthouse[™] 1-Lite 3/4 Lite Unfinished Chocolate Chestnut OAK POMONA[™] PR7 Ash SMOOTH OAK WOODGRAIN SMOOTH 🕱 & OAK WOODGRAIN 7 Light# Unfinished 🔍 7 Medium

Center Arch




Half Lite

PR 8

7

3/4 Lite



All doors are available in 36" width

Walnut

All sidelites are available in 14" width

See page 4 for door finish and panel profile availability

#Limited availability

Glass Collection Details booklet available on our website in the Resources section.

Pair select sidelites with panel doors to better suit your style, see page 62

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.


- Also available in 12" width, Smooth only
- Also available in 12" width
- Dentil shelf option available
- IMPACT rated option, see page 54 for information

Select transoms available, see 6'8" glass collection pages for availability



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

PRESTON® PR7







OAK WOODGRAIN

SMOOTH 🔍 & OAK WOODGRAIN

Ζ




Ζ Full Lite 3/4 Lite

Ζ

2

Half Lite



3/4 Lite Half Lite

STAR PR7 TEAK WOODGRAIN

MAHOGANY WOODGRAIN






Lighthouse[™] 1-Lite

Half Lite

SMOOTH 🔍 & OAK WOODGRAIN



LAKEWOOD® PR 6

MAHOGANY WOODGRAIN









TORINO[™] PR 8 MAHOGANY

SMOOTH 🔍

w



BELLANTE[™] PR 8

N

MAHOGANY WOODGRAIN





Half Lite

Half Lite

SMOOTH 🔍



Half Lite

MARCELLO™

w

MAHOGANY

WOODGRAIN

PR 8

SAN ANGELO™ PR 8

TEAK WOODGRAIN







Half Lite

Full Lite

SMOOTH 🕱 & OAK WOODGRAIN






Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

PANEL Pair your panel door with select sidelites to better suit your style

MAHOGANY WOODGRAIN



Pair with: Any 8' Full Lite Mahogany Sidelite

Full Center 3/4 Lite Half Lite Lite Arch

> SMOOTH 😪 & OAK

> > Pair with: Anv 8' Half Lite Oak or Smooth Sidelite

Medina® Star



Also Available:

6 Panel* *6 Panel oak also available in 42" width

Pair with: Anv 8' 3/4 Lite Oak Sidelite

3 Panel

OAK WOODGRAIN

Also Available: Fleur De Lis Monroe" Sena[™]



Center Arch Panel

Pair with: Any 8' Center Arch Oak Sidelite

62

Clavos options available, see page 53 IMPACT rated option, see page 54 for information

SDL options available, see pages 52-55

Also available in 12" width, Smooth only

□ Also available in 12" width

Dentil shelf option available

X

Mahogany 2 Panel Plank is also available in Painted White

Select transoms available, see 6'8" glass collection pages for availability




Feather River offers ENERGY STAR certified door

models in all 50 states. See pages 8-9.



OBSCURE⁺ & CLEAR LITES



Y 9-Lite and 6-Lite Available. Contour Grille Only

SMOOTH METRO[™] 😪 Glass frames available: lip lite or flat frame See page 42 for details Flat frame only CORD PRIVACY **SANDSTONE[™] /**^ **CROSS REED** HAMMERED REEDED **RAIN FALL™** / **CLEAR** DECORATIVE **/****

^ Glass orientation changes in Diamond shape door lites

**Preston® Patina & Zinc, Phoenix™ Patina, Sena™ Patina, Monroe™ Zinc, Mission Pointe™ Zinc and Rochester™ Patina.



