

☒ Validation Checklist - Hardcopy Received

Certificate of Independence

[FL47284_R0_COI_\(a\)_Cert of Independence.pdf](#)

Referenced Standard and Year (of Standard)

| Standard | Year |
|-----------------|-------------|
| ASTM E1300 | 2004 |
| ASTM E1886 | 2019 |
| ASTM E1996 | 2020 |
| ASTM E330 | 2014 |
| ASTM E331 | 2000 |

Equivalence of Product Standards
Certified By

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted

02/01/2025

Date Validated

02/20/2025

Date Pending FBC Approval

02/25/2025

Summary of Products

| FL # | Model, Number or Name | Description |
|--|-----------------------------------|---|
| 47284.1 | a. "Direct Glaze" Fiberglass Door | Nominal 6'8 Integral Flush Glazed "Non-Impact" Fiberglass Single Door (Outswing or Inswing X Configurations) |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 47284.1 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL47284_R0_II_(b)_Inst 47284.1.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL47284_R0_AE_(a)_Eval 47284.1.pdf Created by Independent Third Party: Yes |
| 47284.2 | b. "Direct Glaze" Fiberglass Door | Nominal 6'8 Integral Flush Glazed "Non-Impact" Fiberglass Single Door with Sidelite(s), Outswing or Inswing (OX, XO or OXO) Boxed Configurations |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 47284.2 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL47284_R0_II_(b)_Inst 47284.2.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL47284_R0_AE_(a)_Eval 47284.2.pdf Created by Independent Third Party: Yes |

| | | |
|---|-----------------------------------|---|
| 47284.3 | c. "Direct Glaze" Fiberglass Door | Nominal 6'8 Integral Flush Glazed "Non-Impact" Fiberglass Single Door with Sidelite(s), Outswing or Inswing (OX, XO or OXO) Continuous Head and Sill Configurations |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 47284.3 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL47284_R0_II_(b)_Inst 47284.3.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL47284_R0_AE_(a)_Eval 47284.3.pdf Created by Independent Third Party: Yes |
| 47284.4 | d. "Direct Glaze" Fiberglass Door | Nominal 6'8 Integral Flush Glazed "Non-Impact" Fiberglass Double Door with or without Sidelites, Outswing or Inswing (XX or OXXO) Boxed Configurations |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 47284.4 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL47284_R0_II_(b)_Inst 47284.4.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL47284_R0_AE_(a)_Eval 47284.4.pdf Created by Independent Third Party: Yes |
| 47284.5 | e. "Direct Glaze" Fiberglass Door | Nominal 6'8 Integral Flush Glazed "Impact" Fiberglass Single Door (Outswing or Inswing X Configurations) |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: See INST 47284.5 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL47284_R0_II_(b)_Inst 47284.5.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL47284_R0_AE_(a)_Eval 47284.5.pdf Created by Independent Third Party: Yes |
| 47284.6 | f. "Direct Glaze" Fiberglass Door | Nominal 6'8 Integral Flush Glazed "Impact" Fiberglass Single Door with Sidelite(s), Outswing or Inswing (OX, XO or OXO) Boxed Configurations |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: See INST 47284.6 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL47284_R0_II_(b)_Inst 47284.6.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL47284_R0_AE_(a)_Eval 47284.6.pdf Created by Independent Third Party: Yes |
| 47284.7 | g. "Direct Glaze" Fiberglass Door | Nominal 6'8 Integral Flush Glazed "Impact" Fiberglass Single Door with Sidelite(s), Outswing or Inswing (OX, XO or OXO) Continuous Head and Sill Configurations |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: See INST 47284.7 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL47284_R0_II_(b)_Inst 47284.7.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL47284_R0_AE_(a)_Eval 47284.7.pdf Created by Independent Third Party: Yes |
| 47284.8 | h. "Direct Glaze" Fiberglass Door | Nominal 6'8 Integral Flush Glazed "Impact" Fiberglass Double Door with or without Sidelites, Outswing or Inswing (XX or OXXO) Boxed Configurations |
| Limits of Use Approved for use in HVHZ: No | | Installation Instructions FL47284_R0_II_(b)_Inst 47284.8.pdf |

Approved for use outside HVHZ: Yes
Impact Resistant: Yes
Design Pressure: N/A
Other: See INST 47284.8 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.

Verified By: Lyndon F. Schmidt, P.E. 43409
Created by Independent Third Party: Yes
Evaluation Reports
[FL47284_R0_AE_\(a\)_Eval_47284.8.pdf](#)
Created by Independent Third Party: Yes

[Back](#)

[Next](#)

[Contact Us](#) :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

